

[illegible]

SSSSSSSS	EEEEEEEEEE	AAAAAA	RRRRRRRR	CCCCCCCC	HH	HH	
SSSSSSSS	EEEEEEEEEE	AAAAAA	RRRRRRRR	CCCCCCCC	HH	HH	
SS	EE	AA	RR	CC	HH	HH	
SS	EE	AA	RR	CC	HH	HH	
SS	EE	AA	RR	CC	HH	HH	
SS	EE	AA	RR	CC	HH	HH	
SSSSSS	EEEEEEEE	AA	RRRRRRRR	CC	HHHHHHHHHH	HH	
SSSSSS	EEEEEEEE	AA	RRRRRRRR	CC	HHHHHHHHHH	HH	
	EE	AAAAAAAAAA	RR	CC	HH	HH	
	EE	AAAAAAAAAA	RR	CC	HH	HH	
	EE	AA	RR	CC	HH	HH	
	EE	AA	RR	CC	HH	HH	
SSSSSSSS	EEEEEEEEEE	AA	RR	CC	HH	HH	
SSSSSSSS	EEEEEEEEEE	AA	RR	CCCCCCCC	HH	HH	
		AA	RR	CCCCCCCC	HH	HH	

MM	MM	AAAAAA	PPPPPPPP
MM	MM	AAAAAA	PPPPPPPP
MMMM	MMMM	AA	PP
MMMM	MMMM	AA	PP
MM	MM	AA	PP
MM	MM	AA	PP
MM	MM	AA	PPPPPPPP
MM	MM	AA	PPPPPPPP
MM	MM	AAAAAAAAAA	PP
MM	MM	AAAAAAAAAA	PP
MM	MM	AA	PP
MM	MM	AA	PP
MM	MM	AA	PP
MM	MM	AA	PP

Sy
CT
SC
SE
SY
WR

+-----+
! Object Module Synopsis !
+-----+

Module Name	Ident	Bytes	File	Creation Date	Creator
SEARCH	V04-000	11360	-\$255\$DUA28:[UTIL32.OBJ]UTIL32.OLB;1	16-Sep-1984 02:20	VAX-11 Bliss-32 V4.0-742
SEARCHMSG	0	42	-\$255\$DUA28:[UTIL32.OBJ]UTIL32.OLB;1	16-SEP-1984 02:17	VAX-11 Message V04-00
CLIS\$INTERFACE	V04-000	516	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-Sep-1984 00:32	VAX-11 Bliss-32 V4.0-742
CLIS\$GLOBALS	V04-000	0	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	15-SEP-1984 23:38	VAX/VMS Macro V04-00
SYSSP1_VECTOR	V04-000	0	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 00:40	VAX/VMS Macro V04-00
LIBRTL	V04-000	0	-\$255\$DUA28:[SYSLIB]LIBRTL.EXE;1	16-SEP-1984 04:00	VAX-11 Linker V04-00

+-----+
! Image Section Synopsis !
+-----+

Cluster	Type	Pages	Base Addr	Disk VBN	PFC	Protection and Paging	Global Sec. Name	Match	Majorid	Minorid
DEFAULT_CLUSTER	0	2	00000200	2	0	READ ONLY				
	0	4	00000600	4	0	READ WRITE	COPY ON REF			
	0	10	00000E00	0	0	READ WRITE	DEMAND ZERO			
	0	9	00002200	8	0	READ ONLY				
	0	1	P-00003400	17	0	READ WRITE	COPY ON REF			
	0	1	00003600	18	0	READ WRITE	FIXUP VECTORS			
	253	40	7FFFB000	0	0	READ WRITE	DEMAND ZERO			
LIBRTL	3	111	00000000-R	0	0	READ ONLY	LIBRTL_001	LESS/EQUAL	1	11
	4	1	0000DE00-R	0	0	READ WRITE	LIBRTL_002	LESS/EQUAL	1	11

Key for special characters above:

+-----+
! R - Relocatable !
! P - Protected !
+-----+

! Program Section Synopsis !

<u>Psect Name</u>	<u>Module Name</u>	<u>Base</u>	<u>End</u>	<u>Length</u>	<u>Align</u>	<u>Attributes</u>
\$SPLIT\$	SEARCH	00000200 00000200	000004BE 000004BE	000002BF (000002BF (	703.) LONG 2 703.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD,NOWRT,NOVEC
\$OWNS\$_CRF	SEARCH	00000600 00000600	00000D1C 00000D1C	0000071D (0000071D (	1821.) LONG 2 1821.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT,NOVEC
\$OWNS\$_DZRO	SEARCH	00000D20 00000D20	0000206B 0000206B	0000134C (0000134C (	4940.) LONG 2 4940.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT,NOVEC
\$CODE\$	SEARCH CLI\$INTERFACE	00002200 00002200 00003138	0000333B 00003137 0000333B	0000113C (00000F38 (00000204 (	4412.) LONG 2 3896.) LONG 2 516.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD,NOWRT,NOVEC
MSGPTR\$AAAAAAA	SEARCHMSG	00003400 00003400	0000340F 0000340F	00000010 (00000010 (	16.) LONG 2 16.) LONG 2	PIC,USR,OVR,REL,LCL,NOSHR,NOEXE, RD, WRT, VEC
MSGPTR\$AAAAAAB	SEARCHMSG	00003410 00003410	00003413 00003413	00000004 (00000004 (	4.) LONG 2 4.) LONG 2	PIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT, VEC
MSGPTR\$AAAAAAC	SEARCHMSG	00003414 00003414	00003417 00003417	00000004 (00000004 (	4.) LONG 2 4.) LONG 2	PIC,USR,OVR,REL,LCL,NOSHR,NOEXE, RD, WRT, VEC
MSGPTR\$SECTION	SEARCHMSG	00003418 00003418	00003429 00003429	00000012 (00000012 (	18.) BYTE 0 18.) BYTE 0	PIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT, VEC

```

+-----+
! Symbol Cross Reference !
+-----+

```

Symbol	Value	Defined By	Referenced By ...
CLISDCL_PARSE	00003207-R	CLISINTERFACE	
CLISDISPATCH	000032B8-R	CLISINTERFACE	
CLISGET_VALUE	0000317B-R	CLISINTERFACE	SEARCH
CLISNEXT_QUAL	000032F9-R	CLISINTERFACE	
CLISPRESENT	00003138-R	CLISINTERFACE	SEARCH
CLIS_ABSENT	000381F0	CLISGLOBALS	CLISINTERFACE
CLIS_COMMA	0003FD39	CLISGLOBALS	CLISINTERFACE
CLIS_CONCAT	0003FD29	CLISGLOBALS	CLISINTERFACE
CLIS_DEFAULTED	0003FD21	CLISGLOBALS	CLISINTERFACE
CLIS_LOCNEG	00038230	CLISGLOBALS	CLISINTERFACE
CLIS_LOCPRES	0003FD31	CLISGLOBALS	CLISINTERFACE
CLIS_NEGATED	000381F8	CLISGLOBALS	CLISINTERFACE
CLIS_NOCOMD	000380B0	CLISGLOBALS	CLISINTERFACE
CLIS_PRESENT	0003FD19	CLISGLOBALS	CLISINTERFACE
LIB\$FILE_SCAN	0000365C-RX	LIBRTL	SEARCH
LIB\$FREE_VM	0000364C-RX	LIBRTL	CLISINTERFACE
LIB\$GET_VM	00003670-RX	LIBRTL	CLISINTERFACE SEARCH
LIB\$LOOKUP_KEY	00003660-RX	LIBRTL	SEARCH
LIB\$PUT_OUTPUT	00003664-RX	LIBRTL	SEARCH
LIB\$SIGNAL	0000366C-RX	LIBRTL	SEARCH
LIB\$STOP	00003668-RX	LIBRTL	SEARCH
OT\$SCVT_TIL	00003658-RX	LIBRTL	SEARCH
SEARCH\$FACILITY	000008D7	SEARCHMSG	
SRHS_BADEXCL	08D7800C	SEARCHMSG	SEARCH
SRHS_BADEXCLNAM	08D78014	SEARCHMSG	SEARCH
SRHS_BADFORM	08D7801C	SEARCHMSG	SEARCH
SRHS_BADMATCH	08D78024	SEARCHMSG	SEARCH
SRHS_MATCHED	08D78069	SEARCHMSG	SEARCH
SRHS_NOFILE	08D7804A	SEARCHMSG	SEARCH
SRHS_NOMATCH	08D78071	SEARCHMSG	SEARCH
SRHS_NOMATCHES	08D78053	SEARCHMSG	SEARCH
SRHS_NOSTRING	08D7802C	SEARCHMSG	SEARCH
SRHS_NULLFILE	08D7805B	SEARCHMSG	SEARCH
SRHS_RFAERR	08D78034	SEARCHMSG	SEARCH
SRHS_TRUNCATE	08D78063	SEARCHMSG	SEARCH
SRHS_WDW_MAXPREV	08D7803C	SEARCHMSG	SEARCH
SRHS_WDW_MAXPRM	08D78044	SEARCHMSG	SEARCH
STR\$ANALYZE_SDESC	00003648-RX	LIBRTL	CLISINTERFACE
STR\$COPY_DX	00003650-RX	LIBRTL	CLISINTERFACE SEARCH
STR\$GETI_DX	00003654-RX	LIBRTL	SEARCH
SYSSASCTIM	7FFED48	SYSP1_VECTOR	SEARCH
SYSSCLI	7FFED48	SYSP1_VECTOR	CLISINTERFACE
SYSSCLOSE	7FFEE1B8	SYSP1_VECTOR	SEARCH
SYSSCONNECT	7FFEE1C0	SYSP1_VECTOR	SEARCH
SYSSCREATE	7FFEE1C8	SYSP1_VECTOR	SEARCH
SYSSFAO	7FFEDF50	SYSP1_VECTOR	SEARCH
SYSSFIND	7FFEE170	SYSP1_VECTOR	SEARCH
SYSSGET	7FFEE180	SYSP1_VECTOR	SEARCH
SYSSGETJPI	7FFEE0D8	SYSP1_VECTOR	SEARCH

Symbol	Value	Defined By	Referenced By ...
SYSSGETTIM	7FFEDF78	SYSSP1_VECTOR	SEARCH
SYSSOPEN	7FFEE208	SYSSP1_VECTOR	SEARCH
SYSSPARSE	7FFEE230	SYSSP1_VECTOR	SEARCH
SYSSPUT	7FFEE188	SYSSP1_VECTOR	SEARCH
SYSSSEARCH	7FFEE248	SYSSP1_VECTOR	SEARCH
SYSS\$TRNLOG	7FFEE058	SYSSP1_VECTOR	SEARCH

+-----+
! Symbols By Value !
+-----+

Value

Symbols...

000008D7	SEARCH\$ FACILITY
00003138	R-CLIS\$PRESENT
0000317B	R-CLIS\$GET_VALUE
00003207	R-CLIS\$DCL_PARSE
000032B8	R-CLIS\$DISPATCH
000032F9	R-CLIS\$NEXT_QUAL
00003648	RX-STR\$ANALYZE_SDESC
0000364C	RX-LIB\$FREE_VM
00003650	RX-STR\$COPY_DX
00003654	RX-STR\$GET1_DX
00003658	RX-OT\$SCVT_TIL
0000365C	RX-LIB\$FILE_SCAN
00003660	RX-LIB\$LOOKUP_KEY
00003664	RX-LIB\$PUT_OUTPUT
00003668	RX-LIB\$STOP
0000366C	RX-LIB\$SIGNAL
00003670	RX-LIB\$GET_VM
000380B0	CLIS_\$NOCMD
000381F0	CLIS_\$ABSENT
000381F8	CLIS_\$NEGATED
00038230	CLIS_\$LOCNEG
0003FD19	CLIS_\$PRESENT
0003FD21	CLIS_\$DEFAULTED
0003FD29	CLIS_\$CONCAT
0003FD31	CLIS_\$LOCPRES
0003FD39	CLIS_\$COMMA
08D7800C	SRHS_\$BADEXCL
08D78014	SRHS_\$BADEXCLNAM
08D7801C	SRHS_\$BADFORM
08D78024	SRHS_\$BADMATCH
08D7802C	SRHS_\$NOSTRING
08D78034	SRHS_\$RFAERR
08D7803C	SRHS_\$WDW_MAXPREV
08D78044	SRHS_\$WDW_MAXPRM
08D7804A	SRHS_\$NOFILE
08D78053	SRHS_\$NOMATCHES
08D7805B	SRHS_\$NULLFILE
08D78063	SRHS_\$TRUNCATE
08D78069	SRHS_\$MATCHED
08D78071	SRHS_\$NOMATCH
7FFEDE18	SYSS\$CLI
7FFEDE48	SYSS\$ASCTIM
7FFEDF50	SYSS\$FAO
7FFEDF78	SYSS\$GETTIM
7FFEE058	SYSS\$TRNLOG
7FFEE0D8	SYSS\$GETJPI
7FFEE170	SYSS\$FIND
7FFEE180	SYSS\$GET
7FFEE188	SYSS\$PUT

Value	Symbols...
7FFEE1B8	SYSS\$CLOSE
7FFEE1C0	SYSS\$CONNECT
7FFEE1C8	SYSS\$CREATE
7FFEE208	SYSS\$OPEN
7FFEE230	SYSS\$PARSE
7FFEE248	SYSS\$SEARCH

Key for special characters above:

*	- Undefined
U	- Universal
R	- Relocatable
X	- External

! Image Synopsis !

Virtual memory allocated: 00000200 000037FF 00003600 (13824. bytes, 27. pages)
 Stack size: 40. pages
 Image header virtual block limits: 1. (1. block)
 Image binary virtual block limits: 2. (17. blocks)
 Image name and identification: SEARCH V04-000
 Number of files: 5.
 Number of modules: 6.
 Number of program sections: 12.
 Number of global symbols: 289.
 Number of cross references: 119.
 Number of image sections: 9.
 User transfer address: 00002200
 Number of code references to shareable images: 11.
 Image type: EXECUTABLE.
 Map format: FULL WITH CROSS REFERENCE in file _\$255\$DUA28:[UTIL32.LIS]SEARCH.MAP;1
 Estimated map length: 73. blocks

! Link Run Statistics !

Performance Indicators	Page Faults	CPU Time	Elapsed Time
Command processing:	106	00:00:00.14	00:00:00.30
Pass 1:	132	00:00:00.82	00:00:04.84
Allocation/Relocation:	21	00:00:00.08	00:00:00.63
Pass 2:	46	00:00:00.35	00:00:02.55
Map data after object module synopsis:	19	00:00:00.37	00:00:00.44
Symbol table output:	2	00:00:00.02	00:00:00.59
Total run values:	326	00:00:01.78	00:00:09.35

Using a working set limited to 900 pages and 76 pages of data storage (excluding image)

Total number object records read (both passes): 334
 of which 158 were in libraries and 27 were DEBUG data records containing 2377 bytes

Number of modules extracted explicitly = 2
 with 3 extracted to resolve undefined symbols

25 library searches were for symbols not in the library searched

A total of 0 global symbol table records was written

LINK/USERLIB=PROC/EXE=EXE\$:SEARCH/MAP=MAP\$:SEARCH/FULL/CROSS/NOTRACE LIB\$:UTIL32/INCLUDE=(SEARCH,SEARCHMSG),SYS\$INPUT/OPTION
 STACK=40

0429 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

